



Certificate of constancy of performance 0620-CPR-85444/03



Issued	2019-07-01	Replaces	0620-CPR-85444/02
First issued	2014-11-15	Page	1 of 2

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Factory made mineral wool products

whereby the scope of construction product(s) is listed on page 2 of this certificate placed on the market under the name or trademark of

Saint-Gobain Construction Products Nederland B.V.

and produced in the manufacturing plant(s)

Parallelweg 20, Etten-Leur

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard
EN 13162: 2012+A1:2015

under system 1 for the performances set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 15 November 2014 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Ronald Karel
Managing director

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

562170424

Kiwa Nederland B.V.
Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Manufacturer
Saint-Gobain Construction Products Nederland B.V.
Parallelweg 20
4878 AH ETTEN-LEUR
Tel. 076-5080000
info@isover.nl
www.isover.nl

Manufacturing plant
Saint-Gobain Construction Products Nederland B.V.
Parallelweg 20
4878 AH ETTEN-LEUR
Tel. 076-5080000
info@isover.nl
www.isover.nl

Cladipan 31 Ultra*
Cladipan 31
Multimax 31 Ultra

thermal insulation product made of glass wool, for thickness range 50-170*/200 mm.

SCOPE

Harmonized standard	Type	Identification and intended use	Construction product parameters	CE marking method
EN 13162:2012+A1:2015	Factory made mineral wool product(s)	Thermal insulation for buildings. Whereby the field of application for this reaction to fire classification is valid for the following end use applications: i) Wall and ceiling applications ii) Insulation to roof spaces iii) Construction applications used over any substrate with a density equal to or greater than 1800kg/m ³ , having a minimum of 8 mm and a fire performance of A2 or better (excluding paper faced gypsum plasterboard)**	Reaction to Fire - Class A2-s1,d0	Euroclasses

** Only for Cladipan 31